Presentation

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER
ES25

LANCHIYA

2570 N First St, 2nd Floor San Jose, CA 95131 U.S.A
K-Center #901, Simindearo 248, Beon-gil 25, Dongan-gu Anyang-City, Gyeonggi-do, 14067 KOREA
10th Floor, Shizuya Bld. 3-51-11, Higasi-Nippori, Arakawa-Ku, 1160014 Tokyo, JAPAN
Hongtu Road, Songxia Industry Zone, Songgang, Foshan City Guangdong Province 528234 CHINA

Info@lanchiya.com
WWW.LANCHIYA.COM

AMPLIFIER PART

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

VACUUM TUBE
Customized hybrid vacuum tube

EAI / iEAI
Advanced DSP sound technology
E.A.I bass&3D effect

Bluetooth
CSR Version 4.2

40W RMS
I.E.C STANDARD

Aluminium anodizing finish
Control interface

AI 6063

PMCM Enclosure
High Polymer Plasticity Micro Crystal Material

Auto detecting
Loudspeaker type sensor

Phono port
RIAA Standard design
Professional Phono port

PC USB
External sound card port
Standard USB type

AUX
3.5mm Stereo AUX input port

Headphone amplifier
Built-in High-class headphone amplifier

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.
DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

AMPLIFIER PART Operating principle



Audio source

Power part

DAC/MCU Amplifier part

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

AMPLIFIER PART

Warm Rich music tones & Stunning Vocals.

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.
DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

VACUUM TUBE

Customized hybrid vacuum tube

The quality of LANCHIYA® customized vacuum tubes for the new hybrid amplifiers is the same as what the military industrial enterprise requests. We take the advantage of the even harmonics to enhance the dynamic range and the frequency response of the sound. The tubes can make the sound mellow and charming. The life of the tubes is about 50,000 hours.

AMPLIFIER PART

ADVANCED SOUND TUNNING TECHNOLOGY

Experience our audio technology taken to new heights with E.A.I & Digital Sound Processing (DSP) Fine-tuned for perfection maximum power generated from LANCHIYA ES25,LS7,LS20,LS25 loudspeaker

E.A.I™ bass boost & 3D effect sound

The Lanchiya® patented EAI™ Bass Boost function is the special design for the bass-lovers. Hit the special button for the stronger bass. if the original Hi-Fi sound is not enough. The SPL will be enhanced for 6dB by curve when the bass range is between 40Hz-250Hz. Lanchiya®EAI™ 3D effect function can help to get more feeling of live music concert from the standard music and to get the best sound in various playback environment like games, TV, movie scenarios etc.

MK150m

HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER
- LS20
- LS25
- ES7
- ES25

EAI / iEAI

Advanced DSP sound technology
E.A.I bass technology

LANCHIYA®EAI™ (Electronics&Acoustics Integration) chip module to make the electronics, speaker drivers and housing structure match each other perfectly so that the whole speaker system can perform at its best status and produce the best sound. With the help of DSP to correct the input signal in a nondestructive way , the whole speaker system can perform beyond its physical limitation.

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

AMPLIFIER PART





MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

Bluetooth
CSR Version 4.2

Bluetooth™ CSR™ apt X®to transmit 16 bits 44.1kHz and max 16 bits 48kHz CD quality music.

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.
DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

AMPLIFIER PART

Aluminium anodizing finish control interface **Al** 6063

Aluminium anodizing finished rotating knob for mode control and headphone control switch and LED indicator

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

Intuitional user control interface

Aluminium anodizing finished rotating knob for functional control (Bluetooth-AUX-Phono-PC USB) and Aluminium control switches for the headphone amplifier select.and two sound effect button and Bluetooth pairing button. It is about the useful and intuitional user control interface design.

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.
DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

AMPLIFIER PART

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

40W RMS
I.E.C STANDARD

20W x2 Total 40W RMS Output power (I.E.C Standard)
Advanced Sound Technology through Research & Development.

PMCM Enclosure
High Polymer Plasticity Micro Crystal Material

Enclosure with PMCM (Plasticity Micro Crystal Material) acoustic material coated with Lanchiya® special surface treatment floss spray paint. Nice workmanship and no sticky Good structural strength prevents from unnecessary resonance.

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.
DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

AMPLIFIER PART



Phono port

RIAA curve standard design
Professional Phono port

(RIAA standard design) Professional Phono port for making LP's bass balance

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.
DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

AMPLIFIER PART

PC USB

External PC sound card port
Support Plug and play

MK150m

HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

AMPLIFIER PART

AUX
3.5mm stereo AUX input port

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

Upgrade your TV sound
AUX in for additional multimedia audio sources.

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.
DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER
LS20
LS25

ES7
ES25

Headphone amplifier
Built-in High performance vacuum tube headphone amplifier

Built-in high performance vacuum tube headphone amplifier

The headphone amplifier can drive the headphone impedances from 32Ω to 600Ω by the advanced automatic impedance matching system. Its power is 7W. It can support all of the audio formats by the high performance of the hardware decoder. It's compatible with DSD256, DSD128 and DSD64. Including PCM 32bit 384kHz. The vacuum tubes are used for adjusting the sound. The external sound output and the internal decode input can be freely switched.

AMPLIFIER PART

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.
DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

AMPLIFIER PART

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

MK150m

HYBRID VACUUM TUBE AMPLIFIER SYSTEM

AUX input port for getting additional multimedia audio sources.

Phono port
RIAA Standard design
Professional Phono port

SUB-WOOFER OUT
Active sub-woofer out put port

PC USB
External sound card port

RCA type speaker output
For Standard type

Auto detecting
Loudspeaker output port
Customized 4PIN connector solution

Power adaptor 16V 2.5A

LOUDSPEAKER PART

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

MK150m

HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

MK150m and **ES25**



LOUDSPEAKER PART

© LANCHYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHYA ACOUSTICS RESEARCH IN U.S.A www.lanchya.com

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

MK150m and **ES25**

LOUDSPEAKER PART

© LANCHITA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHITA ACOUSTICS RESEARCH IN U.S.A www.lanchita.com





MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER
LS20
LS25
ES7
ES25

MK150m and **ES25**



TAIKO BASS BOOSTER 2
Advanced 2nd generation T.B.B
Sound technology

TAIKO BASS BOOSTER™ (Invention patent)

TAIKO Bass Booster™ is a low frequency multiplication technology which is painstakingly invented by LANCHIYA®'s R&D team after seven years' reseach and study. It's a revolutionary and innovative new technology of electro acoustics,which combines LANCHIYA®'s patent technology of double resonators and EAI™(Electronics Acoustics Integration System) It can multiply the power of low frequency in a small speaker housing. Even the volume is very small, it still can make the speaker produce the clear, powerful and elastic bass. This technology reflects LANCHIYA®'s persevering spirit of pursueing the Hi-Fi sound quality.

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER
LS20
LS25
ES7
ES25

MK150m and **ES25**



- Conex damper

Conex Damper

- Triple layers Ferrite magnet

Triple-layer Ferrite magnet

- 100% paper-pulp speaker cone design

100% paper-pulp cone design

35years Experience

Paper-pulp speaker unit design has been around for decades. However, through many years of R&D testing and improvements, LANCHIYA® a developed a precise special formula to ensure LANCHIYA® 100% paper-pulp design has achieved the most advantageous solution in the industry.

LANCHIYA®'s professional design and engineering team has worked on Audio field for 35years. We design, develop, research, and produce every speaker unit from beginning to the end to guarantee perfect quality control.

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

LOUDSPEAKER PART

MK150m

HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20

LS25

ES7

ES25

MK150m and **ES25**

REAR SIDE
LOUDSPEAKER ES25

FRONT SIDE
LOUDSPEAKER ES25

6 Active speaker
driver unit with
crossover network

3Way 3Speaker (mid range + treble range) with advanced professional crossover network design
enjoy the warm rich music tones & Stunning Vocals.

LOUDSPEAKER PART

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER
LS20
LS25

ES7
ES25

MK150m and **ES25**

25kHz
Silk dome Super Tweeter

The tweeter used to reach to 15-20kHz. But Lanchiya R&D team is willing to make it reach up to 25kHz with their 35 years experience. The advanced silk dome tweeter which imported from Japan will be used for the amplifier. The perfect tweeter can be presented based on the perfect match by the tubes and the amplifier.

LOUDSPEAKER PART

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

MK150m and **ES25**

The design
elegance

The classical elegance of the design

Coexistence with futuristic and classical elegance design

LOUDSPEAKER PART

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

MK150m and **ES25**



Advanced Sound Technology through Research & Development.

LOUDSPEAKER PART

© LANCHYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHYA ACOUSTICS RESEARCH IN U.S.A www.lanchya.com

MK150m

HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

MK150m and **ES25**

A masterpiece will speak any way for itself.

LOUDSPEAKER

ES25

LOUDSPEAKER PART

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

A masterpiece will speak any way for itself.

LOUDSPEAKER PART

© LANCHITA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHITA ACOUSTICS RESEARCH IN U.S.A www.lanchita.com

MK150m

HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20

LS25

ES7

ES25

MK150m and **ES25**

MK150m and **LS20**

Minimum diffraction horn type tweeter
for natural sound reproduction

28kHz
Silk dome
Super Tweeter

4 Multi-layer
Neodymium + Ferrite
Hybrid magnet

4 Active speaker
driver unit with
crossover network
2Way 2Speaker x 2 (L,R)

Conex Damper

Hybrid ABS
Speaker enclosure

Matt finish coating
High class surface
painting technology

Advanced bass airflow guiding technology

MK150m and **LS25**

Minimum diffraction horn type tweeter
for natural sound reproduction

28kHz
Silk dome
Super Tweeter

3 Multi-layer
Neodymium + Ferrite
Hybrid magnet

6 Active speaker
driver unit with
crossover network
3Way 3Speaker x 2 (L,R)

TAIKO BASS BOOSTER 2
Advanced 2nd generation T.B.B
Sound technology

Conex Damper

PMCM Enclosure
High Polymer
Plasticity Micro
Crystal Material

Matt finish coating
High class surface
painting technology

Advanced bass airflow guiding technology

MK150m and **ES7**

Minimum diffraction horn type design
for natural sound reproduction

25kHz
Silk dome
Super Tweeter

3 Multi-layer
Neodymium + Ferrite
Hybrid magnet

6 Active speaker
driver unit with
crossover network
3Way 3Speaker x 2 (L,R)

Conex Damper

Hybrid ABS
Speaker enclosure

Matt finish coating
High class surface
painting technology

Advanced bass airflow guiding technology

MK150m and **ES25**

Integral type units design
for unique design

25kHz
Silk dome
Super Tweeter

3 Multi-layer
Neodymium + Ferrite
Hybrid magnet

6 Active speaker
driver unit with
crossover network
3Way 3Speaker x 2 (L,R)

TAIKO BASS BOOSTER 2
Advanced 2nd generation T.B.B
Sound technology

Conex Damper

PMCM Enclosure
High Polymer
Plasticity Micro
Crystal Material

Matt finish coating
High class surface
painting technology

Advanced bass airflow guiding technology

LOUDSPEAKER PART

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

MK150m
HYBRID VACUUM TUBE AMPLIFIER SYSTEM

LOUDSPEAKER

LS20
LS25

ES7
ES25

SPECIFICATION PART

© LANCHIYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHIYA ACOUSTICS RESEARCH IN U.S.A www.lanchiya.com

Power adaptor
16V 2.5A

Auto detecting
Loudspeaker output port
Customized 4PIN connector solution

RCA type
speaker output
For Standard type

PC USB
External sound card port
Standard USB type

SUB-WOOFER OUT
Active sub-woofer out put port

Phono port
RIAA Standard design
Professional Phono port

AUX input port for getting
additional multimedia audio sources.

MK150m

HYBRID VACUUM TUBE AMPLIFIER SYSTEM

CONNECTIVITY

Bluetooth
PHONO RCA type
AUX 3.5mm Stereo type
PC-USB Standard USB type
Sub-woofer out RCA type

POWER

Power voltage : AC100-240V, 50/60Hz DC16V 2.5A (Power adaptor)
Amplifier output power : 40W (RMS) 4Ω (20W x 2 L.R)
Amplifier input sensitivity : ≤775mV
Amplifier SNR : ≥ 80dB
THD : ≤1%

SUPPORT LOUDSPEAKER SERIES

BASED ON THE BUILT-IN E.A.I DSP SOLUTION

LS25 LS20 ES7 ES25

Bluetooth

Bluetooth range : 7-10M
Bluetooth version : CSR 4.2V+EDR
A2DP / apt X

FREQUENCY RESPONSE (AMPLIFIER)

40Hz~28KHz

DIMENSIONS

W275mm X H187mm X D183mm

SPECIFICATION PART

© LANCHYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHYA ACOUSTICS RESEARCH IN U.S.A www.lanchya.com

MK100m

HYBRID VACUUM TUBE AMPLIFIER SYSTEM

CONNECTIVITY

Bluetooth
PHONO RCA type
AUX 3.5mm Stereo type
PC-USB Standard USB type
Sub-woofer out RCA type

POWER

Power voltage : AC100-240V, 50/60Hz DC16V 2.5A (Power adaptor)
Amplifier output power : 40W (RMS) 4Ω (20W x 2 L.R)
Amplifier input sensitivity : ≤775mV
Amplifier SNR : ≥ 80dB
THD : ≤1%

SUPPORT LOUDSPEAKER SERIES

BASED ON THE BUILT-IN E.A.I DSP SOLUTION

Bluetooth

Bluetooth range : 7-10M
Bluetooth version : CSR 4.2V+EDR
A2DP / apt X

FREQUENCY RESPONSE (AMPLIFIER)

40Hz~28KHz

DIMENSIONS

W275mm X H187mm X D183mm

ES25

LOUD SPEAKER SYSTEM

POWER HANDLING

20W RMS ~ MAX 50W RMS

MID-RANGE SPEAKER DRIVER UNIT

2 1/4" ϕ57.15mm x 2PCS mid-range speaker driver units
Paper cone, 4 Multi-layers ferrite magnet + neodymium magnet

SUPER TWEETER DRIVER UNIT

0.8" ϕ22mm x 2PCS 28kHz Silk dome tweeter

NOMINAL IMPEDANCE

4Ω

BASS-RANGE SPEAKER DRIVER UNIT

2 1/4" ϕ57.15mm x 2PCS bass-range speaker driver units
Paper cone, 4 Multi-layers ferrite magnet + neodymium magnet

SENSITIVITY 1M/1W

80dB

FREQUENCY RESPONSE (LOUDSPEAKER)

70Hz~25KHz

DIMENSIONS

W105mm X H198mm X D184mm

AMPLIFIER & LOUDSPEAKER COLOR | OPTION

Matt finish coating
High class surface painting technology

Black
Matt finish coating



Dark gray
Matt finish coating



Milky white
Matt finish coating

© LANCHYA ACOUSTICS RESEARCH All rights reserved.

DESIGNED BY LANCHYA ACOUSTICS RESEARCH IN U.S.A www.lanchya.com

LANCHIYA
Vacuum Tube Audio

COMPANY
PROFILE

LANCHIYA INTELLIGENT ACOUSTICS

Lanchiya Intelligent Acoustics is a group composed of Lanchiya Acoustics (USA) Research, Lanchiya Electronics Technology (Japan) Co.,LTD, Lanchiya Acoustics (Korea) Research and Lanchiya Digital Technology CO.,LTD. Since the foundation of Lanchiya Acoustics (USA) Research by over 20 audio experts in California(US) in 2006, Lanchiya has created a strong R&D team and a first-class electronic and electro-acoustic laboratory, which has made countless innovations in audio field. Lanchiya R&D team focus on the Industrial design, Electro-acoustic, the Structure and Materials of the products.

After years of research and exploration, Lanchiya has achieved a lot such as speaker miniaturization technology, operational simplifications and sound performance etc. And we has registered 55 various patents. We also developed nearly a hundred innovative products. Each of these products features fantastic appearance, fabulous sound and easy operations. We implement the ISO9001 and CCC quality management systems, SA8000 and BSCI social responsibility management system. And we have imported more than 20 advanced inspection instruments such as Environment Simulation Tester, Transport Simulation Vibration Tester, Salt Spray Tester, Electro-acoustic Tester etc. We authorize the professional market research corporations to do the market research and make sure the innovations and the sales strategies are perfect. Benefit from these advantages, the Amethyst brand has made a great commercial success. Amethyst speakers are sold in more than 56 countries all around the world. Our own brand Amethyst had won the Top 4 market share (BOSE, JBL, iHome, Amethyst) in MFI docking speaker ranking in UK, and won the Top 5 in France. The major customers include Britz, INKEL (Sherwood), IRIVER, KOIZUMI, NAKAMICHI, DANTAX etc. Many big retailers ever sold our products. Such as Walmart, Mediamarkt, Tesco, Bestbuy, Superdansk, Dixsons etc.

Nowadays, AI is becoming more and more popular. Lanchiya starts to do the research and development of intelligent psychoacoustics products which can feel the consumers, satisfy their emotion, and even improve their mental and physical health. We promise that you will be surprised to see our new creative product series of Hybrid Vacuum Tube Amplifiers for developing the LANCHIYA brand.

Each year, we will join the global exhibitions such as CES, IFA, HKTD, Canton Fair etc. We sincerely invite you to visit our booth and make the long-term cooperation relationship with us.

LANCHIYA®

2570 N First St, 2nd Floor San Jose, CA 95131 U.S.A

K-Center #901, Simindearo 248, Beon-gil 25, Dongan-gu Anyang-City, Gyeonggi-do, 14067 KOREA

10th Floor, Shizuya Bld. 5-51-11, Higasi-Nippori, Arakawa-Ku, 1160014 Tokyo, JAPAN

Hongtu Road, Songxia Industry Zone, Songgang, Foshan City Guangdong Province 528234 CHINA

WWW.LANCHIYA.COM

info@lanchiya.com

Thank you.

Presentation version DEC.2018

LANCHIYA®

2570 N First St, 2nd Floor San Jose, CA 95131 U.S.A

K-Center #901, Simindearo 248, Beon-gil 25, Dongan-gu Anyang-City, Gyeonggi-do, 14067 KOREA

10th Floor, Shizuya Bld. 5-51-11, Higasi-Nippori, Arakawa-Ku, 1160014 Tokyo, JAPAN

Hongtu Road, Songxia Industry Zone, Songgang, Foshan City Guangdong Province 528234 CHINA

WWW.LANCHIYA.COM

info@lanchiya.com